

Pliki .tpl

scripts/product/bundle.tpl

```
13
14 <div class="innerbox">
15   {foreach from=$product->bundle->stocks item=bundleStock key=k}
- 16   {assign var=item value=$product->bundle->getLogicStockById($bundleStock->id)}
+ 16   {assign var=item value=$product->bundle->getLogicStockById($bundleStock->getIdentifier())}
17   {assign var=options value=$item->product->getOptionsConfigurationStruct()}
18
- 19   <div data-bundle-id="{ $bundleStock->id}" data-stock-id="{ $item->getIdentifier()}" data-has-variants="{if $item->product->product->group_id && count($options)}1{else}0{/if}" class="product row">
+ 19   <div data-bundle-id="{ $bundleStock->getIdentifier()}" data-stock-id="{ $item->getIdentifier()}" data-has-variants="{if $item->product->product->group_id && count($options)}1{else}0{/if}" class="product row">
20     <div class="f-row">
21       <h3 class="rwd-show-medium rwd-hide-full">
22         <a href="{route function='product' key=$item->product->getIdentifier() productName=$item->product->translation->name productId=$item->product->getIdentifier()}" title="{ $item->product->translation->name|escape}{if $item->isOption() } ({ $item->getName()|escape}){/if}">{ $item->product->translation->name|escape}{if $item->isOption() } ({ $item->getName()|escape}){/if}</a>
23       </h3>
24
25       <div>
- 26       <a data-gallery="true" data-gallery-list="{ $item->product->translation->name|escape}-{ $bundleStock->id}" class="details f-grid-2" href="{imageUrl type='productGfx' image=$item->mainImageName()}" title="{ $item->product->translation->name|escape}{if $item->isOption() } ({ $item->getName()|escape}){/if}">
+ 26       <a data-gallery="true" data-gallery-list="{ $item->product->translation->name|escape}-{ $bundleStock->getIdentifier()}" class="details f-grid-2" href="{imageUrl type='productGfx' image=$item->mainImageName()}" title="{ $item->product->translation->name|escape}{if $item->isOption() } ({ $item->getName()|escape}){/if}">
27       product->translation->name|escape}{if $item->isOption() } ({ $item->getName()|escape}){/if}">
28
29       {if count($item->product->galleryGfxs) > 1}

35     <div class="none">
36       {foreach from=$item->product->galleryGfxs item=img}
37       {if $img->gfx->main == "0"}
- 38       <a data-gallery="true" data-gallery-list="{ $item->product->translation->name|escape}-{ $bundleStock->id}" href="{imageUrl type='productGfx' image=$img->gfx->unic_name}" title="{ $img->translation->name|escape}">
+ 38       <a data-gallery="true" data-gallery-list="{ $item->product->translation->name|escape}-{ $bundleStock->getIdentifier()}" href="{imageUrl type='productGfx' image=$img->gfx->unic_name}" title="{ $img->translation->name|escape}">
```

```

39         translation->name|escape} ">
40         </a>
41     {/if}

53     </p>
54
55     <p class="r--spacing-xs">
- 56         {translate key="Quantity in bundle": <span data-quantity>{$bundleStock->stock|escape}</span> {$item->product->unit->translatio
n->name|escape}
+ 56         {translate key="Quantity in bundle": <span data-quantity>{$bundleStock->stock->stock|escape}</span> {$item->product->unit->tra
nslation->name|escape}
57     </p>
58
59     <p class="price">

89         <div class="stock-label">
90             {if $option.type == 'checkbox'}
91                 <div class="form-control form-control-checkbox variant option-{$option.type|escape}{if 1 == $option.stock} option-truest
ock{else} option-stock{/if}{if 1 == $option.required} option-required{/if}">
- 92                     <input data-variant-name="{ $value.name|escape}" type="checkbox" id="option-{$item->getIdentifier()-{$option.id|escape}
-{$bundleStock->id}" name="option {$item->getIdentifier()} {$option.id|escape} {$bundleStock->id}" value="1" data-variant-id="{ $option.i
d|escape} ">
- 93                     <label data-yes="{translate key="YES"}" data-no="{translate key="NO"}" for="option-{$item->getIdentifier()-{$option.id
|escape}-{$bundleStock->id}"></label>
+ 92                     <input data-variant-name="{ $value.name|escape}" type="checkbox" id="option-{$item->getIdentifier()-{$option.id|escape}
-{$bundleStock->getIdentifier()}" name="option {$item->getIdentifier()} {$option.id|escape} {$bundleStock->getIdentifier()}" value="1" d
ata-variant-id="{ $option.id|escape} ">
+ 93                     <label data-yes="{translate key="YES"}" data-no="{translate key="NO"}" for="option-{$item->getIdentifier()-{$option.id
|escape}-{$bundleStock->getIdentifier()}"></label>
94                 </div>
95             {/if}
96             {if $option.type != 'checkbox'}<span class="label">{translate key="choose"}</span>{/if}
97             <span class="stock-name{if 1 == $option.required} stock-required{/if}">
- 98                 {if $option.type == 'checkbox'}<label for="option-{$item->getIdentifier()-{$option.id|escape}-{$bundleStock->id}">{/if}
{$option.name|escape}{if $option.type == 'checkbox'}</label>{/if}
+ 97                 {if $option.type == 'checkbox'}<label for="option-{$item->getIdentifier()-{$option.id|escape}-{$bundleStock->getIdentif
ier()}">{/if}{ $option.name|escape}{if $option.type == 'checkbox'}</label>{/if}
98             </span>
99             <span class="selected-value"></span>
100        </div>

104        <div class="stock-options">
105            <div class="form-control variant option-{$option.type|escape}{if 1 == $option.stock} option-truestock{else} option-stock
{/if}{if 1 == $option.required} option-required{/if}">
106                {if $option.type == 'file'}
- 107                    <input type="file" id="option-{$item->getIdentifier()-{$option.id|escape}-{$bundleStock->id}" name="option_{$item->ge
tIdentifier()} {$option.id|escape} {$bundleStock->id}" data-variant-id="{ $option.id|escape} ">
+ 107                    <input type="file" id="option-{$item->getIdentifier()-{$option.id|escape}-{$bundleStock->getIdentifier()}" name="opti

```

```

108         on_{ $item->getIdentifier() }_{ $option.id|escape }_{ $bundleStock->getIdentifier() }" data-variant-id="{ $option.id|escape }">
- 109             {elseif $option.type == 'text'}
+ 109             <input type="text" id="option-{ $item->getIdentifier() }-{ $option.id|escape }-{ $bundleStock->id }" name="option { $item->ge
tIdentifier() }_{ $option.id|escape }_{ $bundleStock->id }" data-variant-id="{ $option.id|escape }">
+ 109             <input type="text" id="option-{ $item->getIdentifier() }-{ $option.id|escape }-{ $bundleStock->getIdentifier() }" name="opti
on_{ $item->getIdentifier() }_{ $option.id|escape }_{ $bundleStock->getIdentifier() }" data-variant-id="{ $option.id|escape }">
110
111             <button class="btn bundle-stock-ok">{translate key="ok"}</button>
112             {elseif $option.type == 'checkbox'}
113             <span class="checkbox-wrap-yesno">
- 114             <input data-variant-name="{ $value.name|escape }" type="checkbox" id="option-{ $item->getIdentifier() }-{ $option.id|escap
e }-{ $bundleStock->id }" name="option { $item->getIdentifier() }_{ $option.id|escape }_{ $bundleStock->id }" value="1" data-variant-id="{ $option
.id|escape }">
- 115             <label data-yes="{translate key="YES"}" data-no="{translate key="NO"}" for="option-{ $item->getIdentifier() }-{ $option.
id|escape }-{ $bundleStock->id }"></label>
+ 114             <input data-variant-name="{ $value.name|escape }" type="checkbox" id="option-{ $item->getIdentifier() }-{ $option.id|escap
e }-{ $bundleStock->getIdentifier() }" name="option { $item->getIdentifier() }_{ $option.id|escape }_{ $bundleStock->getIdentifier() }" value="1"
data-variant-id="{ $option.id|escape }">
+ 115             <label data-yes="{translate key="YES"}" data-no="{translate key="NO"}" for="option-{ $item->getIdentifier() }-{ $option.
id|escape }-{ $bundleStock->getIdentifier() }"></label>
116             </span>
117             {elseif $option.type == 'radio' || $option.type == 'select'}
118             {foreach from=$option.values item=value}
119             <span class="radio-wrap">
- 120             <input data-variant-name="{ $value.name|escape }" type="radio" id="option-{ $item->getIdentifier() }-{ $option.id|escape
}-{ $value.id|escape }-{ $bundleStock->id }" name="option { $item->getIdentifier() }_{ $option.id|escape }_{ $bundleStock->id }" value="{ $value.id|
escape }" data-variant-id="{ $option.id|escape }" data-variant-value="{ $value.id|escape }">
- 121             <label for="option-{ $item->getIdentifier() }-{ $option.id|escape }-{ $value.id|escape }-{ $bundleStock->id }"></label>
+ 119             <input data-variant-name="{ $value.name|escape }" type="radio" id="option-{ $item->getIdentifier() }-{ $option.id|escape
}-{ $value.id|escape }-{ $bundleStock->getIdentifier() }" name="option { $item->getIdentifier() }_{ $option.id|escape }_{ $bundleStock->getIdentif
ier() }" value="{ $value.id|escape }" data-variant-id="{ $option.id|escape }" data-variant-value="{ $value.id|escape }">
+ 120             <label for="option-{ $item->getIdentifier() }-{ $option.id|escape }-{ $value.id|escape }-{ $bundleStock->getIdentifier() }">
</label>
121             </span>
- 122             <label for="option-{ $item->getIdentifier() }-{ $option.id|escape }-{ $value.id|escape }-{ $bundleStock->id }">{ $value.name|e
scape}</label> <br />
+ 121             <label for="option-{ $item->getIdentifier() }-{ $option.id|escape }-{ $value.id|escape }-{ $bundleStock->getIdentifier() }">{
$value.name|escape}</label> <br />
122             {/foreach}
123             {elseif $option.type == 'color'}
124             {foreach from=$option.values item=value}

```

scripts/product/tableofproducts.tpl

```

173             {capture assign=bundle}{strip}
174             [
175             {foreach from=$product->bundle->stocks item=bundleStock name=bundleList key=k}
- 176             {assign var=bundleChildren value=$product->bundle->getLogicStockById($bundleSto
ck->id)}
+ 176             {assign var=bundleChildren value=$product->bundle->getLogicStockById($bundleSto
ck->getIdentifier())}

```

```

177 onStruct() }
178
179 {if $bundleChildren->product->product->group_id && count($bundleOptions)}

183
184 {if !$smarty.foreach.bundleList.last}
185 {literal}{{/literal}
- 186 "id":{$bundleStock->id},
+ 186 "id":{$bundleStock->getIdentifier()},
187 "stock_id":{$bundleChildren->getIdentifier()},
188 "stockId":{$bundleChildren->getIdentifier()},
- 189 "quantity":{$bundleStock->stock|escape}
+ 189 "quantity":{$bundleStock->stock->stock|escape}
190 {literal}}{/literal},
191 {else}
192 {literal}{{/literal}
- 193 "id":{$bundleStock->id},
+ 193 "id":{$bundleStock->getIdentifier()},
194 "stock_id":{$bundleChildren->getIdentifier()},
195 "stockId":{$bundleChildren->getIdentifier()},
- 196 "quantity":{$bundleStock->stock|escape}
+ 196 "quantity":{$bundleStock->stock->stock|escape}
197 {literal}}{/literal}
198 {/if}
199 {/foreach}

410 {capture assign=bundle}{strip}
411 [
412 {foreach from=$product->bundle->stocks item=bundleStock name=bundleList key=k}
- 413 {assign var=bundleChildren value=$product->bundle->getLogicStockById($bundleStock->
id) }
+ 413 {assign var=bundleChildren value=$product->bundle->getLogicStockById($bundleStock->
getIdentifier()) }
414 {assign var=bundleOptions value=$bundleChildren->product->getOptionsConfigurationSt
ruct() }
415
416 {if $bundleChildren->product->product->group_id && count($bundleOptions)}

420
421 {if !$smarty.foreach.bundleList.last}
422 {literal}{{/literal}
- 423 "id":{$bundleStock->id},
+ 423 "id":{$bundleStock->getIdentifier()},
424 "stock_id":{$bundleChildren->getIdentifier()},
425 "stockId":{$bundleChildren->getIdentifier()},
- 426 "quantity":{$bundleStock->stock|escape}
+ 426 "quantity":{$bundleStock->stock->stock|escape}

```

```
427         {literal}}{/literal},
428         {else}
429         {literal}}{/literal}
- 430         "id":{$bundleStock->id},
+ 430         "id":{$bundleStock->getIdentifier()},
431         "stock_id":{$bundleChildren->getIdentifier()},
432         "stockId":{$bundleChildren->getIdentifier()},
- 433         "quantity":{$bundleStock->stock|escape}
+ 433         "quantity":{$bundleStock->stock->stock|escape}
434         {literal}}{/literal}
435     {/if}
436 {/foreach}
```

```
440         {if !$bundleHasVariants}
441         <input type="hidden" value="{ $bundle|base64_encode}" name="children">
442         {/if}
+ 443
444     {/if}
445
446     {if !$product->isBundle() || !$bundleHasVariants}
```

Pliki .css

Pliki .less