

Pliki .tpl

scripts/basket/address.tpl

```
46         {foreach from=$table1 item=tr}
47         <tr class="{ $tr.name|escape}">
48             <td class="label">
- 49                 <label for="input_{ $tr.name|escape}">{if true == $tr.obligatory}<em class="color">*</em
+ 49                 {if $tr.type != 'checkbox'}
+ 50                 <label for="input_{ $tr.name|escape}">{if true == $tr.obligatory}<em class="color">*
</em> {/if}{ $tr.label|escape}</label>
+ 51                 {/if}
52             </td>
53             <td class="input">
54                 {if 'select' == $tr.type}
- 55                 <select class="{if $tr.error} shaded_error{/if}" name="{ $tr.name|escape}" id="input_{ $t
r.name|escape}">
- 56                     {foreach from=$tr.list item=c key=k}
- 57                     <option value="{ $k|escape}" {if $k == $tr.value} selected="selected" {/if}>{ $c|escape
}</option>
- 58                     {/foreach}
- 59                 </select>
+ 53                 <select class="{if $tr.error} shaded_error{/if}" name="{ $tr.name|escape}" id="input
_{ $tr.name|escape}">
+ 54                     {foreach from=$tr.list item=c key=k}
+ 55                     <option value="{ $k|escape}" {if $k == $tr.value} selected="selected" {/if}>{ $c|es
cape}</option>
+ 56                     {/foreach}
+ 57                 </select>
58                 {else}
- 59                 <div {if $tr.type != 'checkbox'} class="shaded_inputwrap {if $tr.error} shaded_error {/if}
"/>
- 60                 <input type="{ $tr.type|escape}" name="{ $tr.name|escape}" value="{ $tr.value|escape}"
size="25" id="input_{ $tr.name|escape}" />
- 61                 </div>
+ 55                 <div {if $tr.type != 'checkbox'} class="shaded_inputwrap {if $tr.error} shaded_error {
/if}" {/if}>
+ 56
+ 57
+ 58                 {if $tr.type == 'checkbox'}
```

```
+ 59 <input type="{ $str.type|escape}" name="{ $str.name|escape}" value="1" size="25  
" id="input_{ $str.name|escape}" {if $str.value} checked{/if} />  
+ 60  
+ 61 <label for="input_{ $str.name|escape}">{if true == $str.obligatory}<em class="  
color">*</em> {/if}{ $str.label|escape}</label>  
+ 62 {else}  
+ 63 <input type="{ $str.type|escape}" name="{ $str.name|escape}" value="{ $str.value  
|escape}" size="25" id="input_{ $str.name|escape}" />  
+ 64 {/if}  
+ 65 </div>  
66 {/if}  
67 </td>  
68 {if $str.rowspan > 0}
```

```
245  
246 <h4 class="separator">{translate key='Additional information'}</h4>  
247  
- 248 <table>  
+ 248 <table class="additional-fields">  
249 <tbody>  
250 <tr>  
251 <td class="label">
```

```
284 <tr>  
285 {/if}  
286  
+ 287 {if $field->field->type == constant('Logic_AdditionalField::TYPE_HIDDEN')}  
+ 288 <td class="input_hidden" colspan="3">  
+ 289 {additionalField field=$field name=$name value=$additional_value.$name|escape}  
+ 290 </td>  
+ 291 {elseif $field->field->type == constant('Logic_AdditionalField::TYPE_INFO')}  
+ 292 <td class="input_info" colspan="3">  
+ 293 { $field->translation->description}  
+ 294 </td>  
+ 295 {else}  
296 <td class="label">  
297 {if $field->field->type == constant('Logic_AdditionalField::TYPE_CHECKBOX')}  
298 {if 1 == $field->field->req}<em class="color">*</em>{/if}
```

```
315 {additionalField field=$field name=$name value=$additional_value.$name|escape e  
ditable=true}  
316 {/if}  
317 </td>  
+ 318 {/if}  
319  
320 </tr>  
321 {if $additional_error.$name}
```

```

326         </td>
327         <td />
328     </tr>
+ 329     </if>
+ 330 </foreach>
+ 331
+ 332     {foreach from=$table4 item=tr}
+ 333         <tr class="{ $str.name|escape}">
+ 334             <td class="label">
+ 335                 {if $str.type != 'checkbox'}
+ 336                     <label for="input_{ $str.name|escape}">{if true == $str.obligatory}<em class="colo
r">*</em> {/if}{ $str.label|escape}</label>
+ 337                 </if>
+ 338             </td>
+ 339             <td class="input">
+ 340                 {if 'select' == $str.type}
+ 341                 <select class="{if $str.error} shaded_error{/if}" name="{ $str.name|escape}" id="i
nput_{ $str.name|escape}">
+ 342                     {foreach from=$str.list item=c key=k}
+ 343                         <option value="{ $k|escape}" {if $k == $str.value} selected="selected" {/if}>{ $
c|escape}</option>
+ 344                     </foreach>
+ 345                 </select>
+ 346                 {else}
+ 347                 <div {if $str.type != 'checkbox'} class="shaded_inputwrap {if $str.error} shaded_er
ror{/if}" {/if}>
+ 348
+ 349
+ 350                     {if $str.type == 'checkbox'}
+ 351                         <input type="{ $str.type|escape}" name="{ $str.name|escape}" value="1" size
="25" id="input_{ $str.name|escape}" {if $str.value} checked{/if} />
+ 352
+ 353                         <label for="input_{ $str.name|escape}">{if true == $str.obligatory}<em cla
ss="color">*</em> {/if}{ $str.label|escape}</label>
+ 354                     {else}
+ 355                         <input type="{ $str.type|escape}" name="{ $str.name|escape}" value="{ $str.v
alue|escape}" size="25" id="input_{ $str.name|escape}" />
+ 356                     </if>
+ 357                 </div>
+ 358                 </if>
+ 359             </td>
+ 360             {if $str.rowspan > 0}
+ 361             <td class="{if $str.hint}hint{/if}" {if $str.rowspan > 1} rowspan="{ $str.rowspan|escape}" {/
if}>
+ 362                 { $str.hint|escape|nl2br }
+ 363             </td>
+ 364             </if>
+ 365         </tr>
+ 366         {if $str.error}
+ 367         <tr class="error_{ $str.name|escape}">

```

```
+ 368 <td />
+ 369 <td class="error">
+ 370 <ul class="input_error">
+ 371 {foreach from=$tr.error item=err_text}
+ 372 <li>{$err_text|escape}</li>
+ 373 {/foreach}
+ 374 </ul>
+ 375 </td>
+ 376 <td />
+ 377 </tr>
378 {/if}
379 {/foreach}
380 </tbody>
```

scripts/contact/index.tpl

```
126 {else}
127 <tr>
128 {/if}
- 129
+ 129
+ 130 {if $field->field->type == constant('Logic_AdditionalField::TYPE_HIDDEN')}
+ 131 <td class="input_hidden" colspan="2">
+ 132 {additionalField field=$field name=$name value=$additional_value.$name|escape}
+ 133 </td>
+ 134 {elseif $field->field->type == constant('Logic_AdditionalField::TYPE_INFO')}
+ 135 <td class="input_info" colspan="2">
+ 136 {$field->translation->description}
+ 137 </td>
+ 138 {else}
139 <td class="label">
140 {if $field->field->type == constant('Logic_AdditionalField::TYPE_CHECKBOX')}
141 {if 1 == $field->field->req}<em class="color">*</em>{/if}
```

```
158 </div>
159 {/if}
160 </td>
+ 161 {/if}
+ 162
163 </tr>
164 {if $data_error.$name}
165 <tr>
```

scripts/login/register.tpl

```
46 {foreach from=$table1 item=tr}
47 <tr>
48 <td class="label">
```

```

- 49 <label for="input_{\$str.name|escape}">{if true == \$str.obligatory}<em class="color">*</em
+ 49 {if \$str.type != 'checkbox'}
+ 50 <label for="input_{\$str.name|escape}">{if true == \$str.obligatory}<em class="color">*
</em> {/if}{\$str.label|escape}:</label>
+ 51 {/if}
52 </td>
53 <td class="input">
54 <div{if \$str.type != 'checkbox'} class="shaded_inputwrap{if \$str.error} shaded_error{/if}
"/if>
- 55 <input type="{\$str.type|escape}" name="{\$str.name|escape}" value="{\$str.value|escape}"
size="25" id="input_{\$str.name|escape}" />
+ 53 {if \$str.type == 'checkbox'}
+ 54 <input type="{\$str.type|escape}" name="{\$str.name|escape}" value="1" size="25" id
="input_{\$str.name|escape}"{if \$str.value} checked{/if} />
+ 55
+ 56 <label for="input_{\$str.name|escape}">
+ 57 {\$str.label|escape}
+ 58 </label>
+ 59 {else}
+ 60 <input type="{\$str.type|escape}" name="{\$str.name|escape}" value="{\$str.value|esca
pe}" size="25" id="input_{\$str.name|escape}" />
+ 61 {/if}
62 </div>
63 </td>
64 {if \$str.rowspan > 0}

```

```

142 </table>
143 {/if}
144
- 145 {if count(\$additional_fields) > 0}
+ 145 {if count(\$additional_fields) > 0 || count(\$table3) > 0}
146 <h4 class="separator additional">{translate key='Additional information'}</h4>
- 147 <table>
+ 147 <table class="additional-fields">
148 <tbody>
- 149 {foreach from=\$additional_fields item=field}
- 150 {assign var=name value='additional_'|cat:\$field->getIdentfier()}
- 151 {if \$additional_error.\$name}
- 152 {if \$field->field->type == constant('Logic_AdditionalField::TYPE_CHECKBOX')}
- 153 <tr class="witherror witherror_checkbox">
- 154 {else}
- 155 <tr class="witherror witherror_text">
- 156 {/if}
- 157 {else}
- 158 <tr>
- 159 {/if}
- 160
- 161 <td class="label">
- 162 {if \$field->field->type == constant('Logic_AdditionalField::TYPE_CHECKBOX')}

```

```

- 163         {if 1 == $field->field->req}<em class="color">*</em>{/if}
- 164         {else}
- 165         <label for="{ $name|escape}">
- 166             {if 1 == $field->field->req}<em class="color">*</em>{/if}
- 167             { $field->translation->description}
- 168         </label>
- 169         {/if}
- 170     </td>
- 171     <td class="input">
- 172         {if $field->field->type == constant('Logic_AdditionalField::TYPE_CHECKBOX')}
- 173         {additionalField field=$field name=$name value=$additional_value.$name editable=true}
- 174         <label for="{ $name|escape}">{ $field->translation->description}</label>
- 175         {elseif $field->field->type == constant('Logic_AdditionalField::TYPE_SELECT')}
- 176         {additionalField field=$field name=$name value=$additional_value.$name|escape editable=true
}
- 177         {else}
- 178         <div class="shaded_inputwrap{if $additional_error.$name} shaded_error{/if}">
- 179         {additionalField field=$field name=$name value=$additional_value.$name|escape editable=tru
e size=25}
- 180         </div>
- 181         {/if}
- 182     </td>
- 183     {if $tr.hint}
- 184     <td class="{if $tr.hint}hint{/if}" {if $tr.rowspan > 1} rowspan="{ $tr.rowspan|escape}"{/if
}>
- 185         { $tr.hint|escape|nl2br }
- 186     </td>
- 187     {/if}
- 188 </tr>
- 189 {if $additional_error.$name}
- 190 <tr>
- 191     <td />
- 192     <td class="error">
- 193         {formErrors errors=$additional_error.$name class="input_error"}
- 194     </td>
- 195     {if $tr.hint}
- 196     <td />
- 197     {/if}
- 198 </tr>
- 199 {/if}
- 200 {/foreach}
+ 149 {if count($additional_fields) > 0}
+ 150     {foreach from=$additional_fields item=field}
+ 151     {assign var=name value='additional_'|cat:$field->getIdentifier()}
+ 152     {if $additional_error.$name}
+ 153     {if $field->field->type == constant('Logic_AdditionalField::TYPE_CHECKBOX')}
+ 154     <tr class="witherror witherror_checkbox">
+ 155     {else}
+ 156     <tr class="witherror witherror_text">
+ 157     {/if}

```

```

+ 158 {else}
+ 159 <tr>
+ 160 {/if}
+ 161
+ 162 {if $field->field->type == constant('Logic_AdditionalField::TYPE_HIDDEN')}
+ 163 <td class="input_hidden" colspan="{if $tr.hint}3{else}2{/if}">
+ 164 {additionalField field=$field name=$name value=$additional_value.$name|escape}
+ 165 </td>
+ 166 {elseif $field->field->type == constant('Logic_AdditionalField::TYPE_INFO')}
+ 167 <td class="input_info" colspan="{if $tr.hint}3{else}2{/if}">
+ 168 {$field->translation->description}
+ 169 </td>
+ 170 {else}
+ 171 <td class="label">
+ 172 {if $field->field->type == constant('Logic_AdditionalField::TYPE_CHECKBOX')}
+ 173 {if 1 == $field->field->req}<em class="color">*</em>{/if}
+ 174 {else}
+ 175 <label for="{ $name|escape}">
+ 176 {if 1 == $field->field->req}<em class="color">*</em>{/if}
+ 177 {$field->translation->description}
+ 178 </label>
+ 179 {/if}
+ 180 </td>
+ 181 <td class="input">
+ 182 {if $field->field->type == constant('Logic_AdditionalField::TYPE_CHECKBOX')}
+ 183 {additionalField field=$field name=$name value=$additional_value.$name editable=true}
+ 184 <label for="{ $name|escape}">{$field->translation->description}</label>
+ 185 {elseif $field->field->type == constant('Logic_AdditionalField::TYPE_SELECT')}
+ 186 {additionalField field=$field name=$name value=$additional_value.$name|escape editable=
true}
+ 187 {else}
+ 188 <div class="shaded_inputwrap{if $additional_error.$name} shaded_error{/if}">
+ 189 {additionalField field=$field name=$name value=$additional_value.$name|escape editable
=true size=25}
+ 190 </div>
+ 191 {/if}
+ 192 </td>
+ 193 {if $tr.hint}
+ 194 <td class="{if $tr.hint}hint{/if}"{if $tr.rowspan > 1} rowspan="{ $tr.rowspan|escape}"
{/if}>
+ 195 {$tr.hint|escape|nl2br}
+ 196 </td>
+ 197 {/if}
+ 198 {/if}
+ 199 </tr>
+ 200 {if $additional_error.$name}
+ 201 <tr>
+ 202 <td />
+ 203 <td class="error">
+ 204 {formErrors errors=$additional_error.$name class="input_error"}

```

```

+ 205 </td>
+ 206 {if $str.hint}
+ 207 <td />
+ 208 {/if}
+ 209 </tr>
+ 210 {/if}
+ 211 {/foreach}
+ 212 {/if}
+ 213
+ 214 {if count($table3) > 0}
+ 215 {foreach from=$table3 item=tr}
+ 216 <tr>
+ 217 <td class="label">
+ 218 {if $str.type != 'checkbox'}
+ 219 <label for="input_{$str.name|escape}">{if true == $str.obligatory}<em class="
color">*</em> {/if}{$str.label|escape}:</label>
+ 220 {/if}
+ 221 </td>
+ 222 <td class="input">
+ 223 <div{if $str.type != 'checkbox'} class="shaded_inputwrap{if $str.error} shaded_er
ror{/if}"{/if}>
+ 224 {if $str.type == 'checkbox'}
+ 225 <input type="{ $str.type|escape}" name="{ $str.name|escape}" value="1" size
="25" id="input_{$str.name|escape}"{if $str.value} checked{/if} />
+ 226
+ 227 <label for="input_{$str.name|escape}">
+ 228 {$str.label|escape}
+ 229 </label>
+ 230 {else}
+ 231 <input type="{ $str.type|escape}" name="{ $str.name|escape}" value="{ $str.va
lue|escape}" size="25" id="input_{$str.name|escape}" />
+ 232 {/if}
+ 233 </div>
+ 234 </td>
+ 235 {if $str.rowspan > 0}
+ 236 <td class="{if $str.hint}hint{/if}"{if $str.rowspan > 1} rowspan="{ $str.rowspan|escape
}"{/if}>
+ 237 {$str.hint|escape|nl2br}
+ 238 </td>
+ 239 {/if}
+ 240 </tr>
+ 241 {if $str.error}
+ 242 <tr>
+ 243 <td />
+ 244 <td class="error">
+ 245 <ul class="input_error">
+ 246 {foreach from=$str.error item=err_text}
+ 247 <li>{$err_text|escape}</li>
+ 248 {/foreach}
+ 249 </ul>
+ 250 </td>

```



```

+ 251 <td />
+ 252 </tr>
+ 253 {/if}
+ 254 {/foreach}
+ 255 {/if}
256 </tbody>
257 </table>
258 {/if}

```

scripts/panel/edit.tpl

```

85
86 {if count($additional_fields) > 0}
87 <h4 class="separator">{translate key='Additional information'}</h4>
- 88 {foreach from=$additional_fields item=field}
- 89 {assign var=name value='additional_'|cat:$field->getIdentifier()}
- 90
- 91 <label for="{ $name}">
- 92 {if 1 == $field->field->req}<em class="color">*</em>{/if}
- 93
- 94 {if $field->field->type == constant('Logic_AdditionalField::TYPE_CHECKBOX')}
- 95 {additionalField field=$field name=$name value=$data.$name}
- 96 {$field->translation->description}
- 97 </label>
- 98 {elseif $field->field->type == constant('Logic_AdditionalField::TYPE_SELECT')}
- 99 {$field->translation->description}
- 100 </label>
- 101 {additionalField field=$field name=$name value=$additional_value.$name|escape editable=true}
- 102 {else}
- 103 {$field->translation->description}
- 104 </label>
- 105 <div class="shaded_inputwrap{if $data_error.$name} shaded_error{/if}">
- 106 {additionalField field=$field name=$name value=$data.$name|escape editable=true size=30}
- 107 </div>
- 108 {/if}
- 109
- 110 {formErrors errors=$data_error.$name class="input_error"}
- 111 {/foreach}
+ 88 <table>
+ 89 <tbody>
+ 90 {foreach from=$additional_fields item=field}
+ 91 {assign var=name value='additional_'|cat:$field->getIdentifier()}
+ 92 {if $additional_error.$name}
+ 93 {if $field->field->type == constant('Logic_AdditionalField::TYPE_CHECKBOX')}
+ 94 <tr class="witherror witherror_checkbox">
+ 95 {else}
+ 96 <tr class="witherror witherror_text">
+ 97 {/if}
+ 98 {else}

```

```

+ 99         <tr>
+ 100         {/if}
+ 101     }
+ 102         {if $field->field->type == constant('Logic_AdditionalField::TYPE_HIDDEN')}
+ 103             <td class="input_hidden" colspan="{if $str.hint}3{else}2{/if}">
+ 104                 {additionalField field=$field name=$name value=$data.$name|escape}
+ 105             </td>
+ 106         {elseif $field->field->type == constant('Logic_AdditionalField::TYPE_INFO')}
+ 107             <td class="input_info" colspan="{if $str.hint}3{else}2{/if}">
+ 108                 {$field->translation->description}
+ 109             </td>
+ 110         {else}
+ 111             <td class="label">
+ 112                 {if $field->field->type == constant('Logic_AdditionalField::TYPE_CHECKBOX')}
+ 113                     {if 1 == $field->field->req}<em class="color">*</em>{/if}
+ 114                 {else}
+ 115                     <label for="{ $name|escape}">
+ 116                         {if 1 == $field->field->req}<em class="color">*</em>{/if}
+ 117                         {$field->translation->description}
+ 118                     </label>
+ 119                 {/if}
+ 120             </td>
+ 121             <td class="input">
+ 122                 {if $field->field->type == constant('Logic_AdditionalField::TYPE_CHECKBOX')}
+ 123                     {additionalField field=$field name=$name value=$data.$name editable=true}
+ 124                     <label for="{ $name|escape}">{$field->translation->description}</label>
+ 125                 {elseif $field->field->type == constant('Logic_AdditionalField::TYPE_SELECT')}
+ 126                     {additionalField field=$field name=$name value=$data.$name|escape editable=true}
+ 127                 {else}
+ 128                     <div class="shaded_inputwrap{if $additional_error.$name} shaded_error{/if}">
+ 129                         {additionalField field=$field name=$name value=$data.$name|escape editable=
true size=25}
+ 130                     </div>
+ 131                 {/if}
+ 132             </td>
+ 133             {if $str.hint}
+ 134                 <td class="{if $str.hint}hint{/if}" {if $str.rowspan > 1} rowspan="{ $str.rowspan|escape
}"{/if}>
+ 135                     { $str.hint|escape|nl2br}
+ 136                 </td>
+ 137             {/if}
+ 138         {/if}
+ 139     </tr>
+ 140     {if $additional_error.$name}
+ 141         <tr>
+ 142             <td />
+ 143             <td class="error">
+ 144                 {formErrors errors=$additional_error.$name class="input_error"}
+ 145             </td>

```

```
+ 146 {if $tr.hint}
+ 147 <td />
+ 148 {/if}
+ 149 </tr>
+ 150 {/if}
+ 151 {/foreach}
+ 152 </tbody>
+ 153 </table>
154 {/if}
155 <div class="floatfix"></div>
156 <div class="bottombuttons">
```

Pliki .css

styles/main.css

```
4223 tr.state, tr.state2 {
4224     display: none;
4225 }
+ 4226 .input_info {
+ 4227     padding: 0.2em 0.2em 1em;
+ 4228 }
+ 4229 ::-ms-clear {
+ 4230     display: none;
+ 4231 }
```

Pliki .less