

Dokumentacja zmian plików graficznych: az red

Wersja zmian: 1.8.1 - 1.8.2

Pliki .tpl

boxes/News/box.tpl

```
23         <div class="resetcss">{$box_article->article->short_content}</div>
24         {/if}
25         {if $box_article->article->content|strlen > 0 && $box_article->article->short_content != $box_article->article->content}
- 26         <a class="readmore" href="{route function='news' key=$box_article->getIdentifier() newsId=$box_article->getIdentifier()}">{
translate key="read more"} &raquo;</a>
+ 26         <a class="readmore" href="{route function='news' key=$box_article->getIdentifier() newsId=$box_article->getIdentifier() new
sName=$box_article->article->name newsYear="Y" |date:$box_article->articleTimestamp newsMonth="m" |date:$box_article->articleTimestamp new
sDay="d" |date:$box_article->articleTimestamp}">{translate key="read more"} &raquo;</a>
27         {/if}
28     {/foreach}
29
```

boxes/NewsCalendar/box.tpl

```
30         <td colspan="{ $dayOfWeek}" class="calendar_empty"></td>
31     {/if}
32
- 33     {section name=list start=1 loop=$boxNs->$box_id->numberDays}
+ 33     {section name=list start=1 loop=$boxNs->$box_id->numberDays+1}
34         {if $dayOfWeek == 7}
35             {assign var="dayOfWeek" value="0"}
36     </tr><tr>
```

boxes/Paczkomaty/box.tpl

```
8         <div class="innerbox">
9             <div class="leftside"></div>
10            <div style="text-align: center;">
- 11                <a href="http://paczkomaty.pl/" target="_blank" title="Paczkomaty InPost"></a>
+ 11                <a href="http://paczkomaty.pl/" target="_blank" rel="noopener" title="Paczkomaty InPost"></a>
12            </div>
13            <div class="rightside"></div>
14        </div>
```

boxes/Producers/box.tpl

```
13 <select class="singleselect gotourl" id="box_producers_select">
14   {/dynamic}
15   <option value=""></option>
- 16   {foreach from=$boxNs->$box_id->list item=producer}
- 17   {assign var='id' value=$producer->manufacturer->producer_id}
- 18   <option value="{ $boxNs->$box_id->prod_links->$id}">{$producer->manufacturer->name | escape}</option>
+ 16   {foreach from=$boxNs->$box_id->list item=producer_name key=producer_id}
+ 17   <option value="{ $boxNs->$box_id->prod_links->$producer_id}">{$producer_name | escape}</option>
18   {/foreach}
19 </select>
20 <div class="rightside"></div>
```

boxes/ProductFilter/box.tpl

```
32 <label for="selectproducer" class="producer">{translate key='Vendor'}:</label>
33 <select name="producer" id="selectproducer">
34   <option></option>
- 35   {foreach from=$boxNs->$box_id->producers item=producer}
- 36   <option {if $producer->manufacturer->producer_id == $productfilter_producer}selected="select
ted" {/if
- 37   }value="{ $producer->manufacturer->producer_id | escape}">{$producer->manufacturer->name | e
scape}</option>
+ 35   {foreach from=$boxNs->$box_id->producers item=producer_name key=producer_id}
+ 36   <option {if $producer_id == $productfilter_producer}selected="selected" {/if}value="{ $p
roducer_id | escape}">{$producer_name | escape}</option>
37   {/foreach}
38 </select>
39 </div>
```

scripts/news/files.tpl

```
14 <div class="leftside"></div>
15 {foreach from=$article->files item=file name=list}
16   <div class="articlefile" id="file{$file->file_id}">
- 17   <a href="{route key='newsDownload' fileId=$file->file_id fileName=$file->name}" target="_blank">{$file->name | escape
}</a>
+ 17   <a href="{route key='newsDownload' fileId=$file->file_id fileName=$file->name}" target="_blank" rel="noopener">{$fi
le->name | escape}</a>
18   <p>{$file->description | escape}</p>
19 </div>
20 {/foreach}
```

scripts/product/index.tpl

```
158 <div class="nettoprice">
159   <span class="label">{translate key="Net price"}:</span>
```

```

160         {if $product->specialOffer}
- 161         <em>{currency value=$product->defaultStock->getSpecialOfferPrice(true) ceil=2}</em>
+ 161         <em>{currency value=$product->defaultStock->getSpecialOfferPrice(true)}</em>
162         {else}
- 163         <em>{currency value=$product->defaultStock->getPrice(true) ceil=2}</em>
+ 163         <em>{currency value=$product->defaultStock->getPrice(true)}</em>
164         {/if}
165     </div>
166 {/if}

```

```

168         {if floatval($product->product->other_price)}
169         <div class="otherprice">
170             <span class="label">{translate key="Price in other stores"}:</span>
- 171             <em>{currency value=$product->product->other_price ceil=2}</em>
+ 171             <em>{currency value=$product->product->other_price}</em>
172         </div>
173     {/if}
174

```

scripts/product/searchbox.tpl

```

54         <td>
55             <select name="producer" id="search3">
56                 <option></option>
- 57                 {foreach from=$producers item=producer}
- 58                 <option {if $producer->manufacturer->producer_id == $data.producer}selected
="selected" {/if
- 59                 }value="{ $producer->manufacturer->producer_id|escape}">{ $producer->manu
facturer->name |escape}</option>
+ 57                 {foreach from=$producers item=producer_name key=producer_id}
+ 58                 <option {if $producer_id == $data.producer}selected="selected" {/if}val
ue="{ $producer_id|escape}">{ $producer_name |escape}</option>
59             {/foreach}
60         </select>
61     </td>

```

Pliki .css

Pliki .less