

## Pliki .tpl

---

### scripts/body\_head.tpl

```
154         </a>
155
156         <ul class="path left inline">
+ 157             {if $body_class|strstr:"product_new" && $category_name == ''}
+ 158                 <li class="bred-2 last">
+ 159                     <span class="raq">&raquo;</span>
+ 160                     <span>{translate key="New products"}</span>
+ 161                 </li>
+ 162             {elseif $body_class|strstr:"product_promo" && $category_name == ''}
+ 163                 <li class="bred-2 last">
+ 164                     <span class="raq">&raquo;</span>
+ 165                     <span>{translate key="Promotions"}</span>
+ 166                 </li>
+ 167             {/if}
+ 168
169             {foreach from=$breadcrumbs->getBreadCrumbs() item=item name=bclist}
170                 <li class="bred-{Smarty.foreach.bclist.iteration} {if $smarty.foreach.bclist.last}last{/if}" {if $item.url}ite
mscope itemtype="http://data-vocabulary.org/Breadcrumb"{/if}>
171                 {if $item.url}<a href="{ $item.url|escape}" itemprop="url">{/if}
```

## Pliki .css

## Pliki .less

---

### styles/\_fonts.less

```
173     }
174 }
175
+ 176 .gfont() when (@fontface = ubuntu) {
+ 177     /* latin-ext */
+ 178     @font-face {
+ 179         font-family: 'Ubuntu';
```

```

+180     font-style: normal;
+181     font-weight: 400;
+182     src: local('Ubuntu'), url(https://fonts.gstatic.com/s/ubuntu/v9/Wu5Iuha-XnKDBvqRwQzAG_esZW2xOQ-xsNqO47m55DA.woff2) format('woff2')
);
+183     unicode-range: U+0100-024F, U+1E00-1EFF, U+20A0-20AB, U+20AD-20CF, U+2C60-2C7F, U+A720-A7FF;
+184 }
+185 /* latin */
+186 @font-face {
+187     font-family: 'Ubuntu';
+188     font-style: normal;
+189     font-weight: 400;
+190     src: local('Ubuntu'), url(https://fonts.gstatic.com/s/ubuntu/v9/sDGTilo5QRsfWu6Yc11AXg.woff2) format('woff2');
+191     unicode-range: U+0000-00FF, U+0131, U+0152-0153, U+02C6, U+02DA, U+02DC, U+2000-206F, U+2074, U+20AC, U+2212, U+2215;
+192 }
+193 /* latin-ext */
+194 @font-face {
+195     font-family: 'Ubuntu';
+196     font-style: normal;
+197     font-weight: 500;
+198     src: local('Ubuntu Medium'), local('Ubuntu-Medium'), url(https://fonts.gstatic.com/s/ubuntu/v9/gMhvhm-nVj1086DvGgmzBxJtnKITppOI_I
vcXXDNrsc.woff2) format('woff2');
+199     unicode-range: U+0100-024F, U+1E00-1EFF, U+20A0-20AB, U+20AD-20CF, U+2C60-2C7F, U+A720-A7FF;
+200 }
+201 /* latin */
+202 @font-face {
+203     font-family: 'Ubuntu';
+204     font-style: normal;
+205     font-weight: 500;
+206     src: local('Ubuntu Medium'), local('Ubuntu-Medium'), url(https://fonts.gstatic.com/s/ubuntu/v9/OsJ2DjdpjqFRVUSto6IfFtXRa8TVwTICg
irnJhmVJw.woff2) format('woff2');
+207     unicode-range: U+0000-00FF, U+0131, U+0152-0153, U+02C6, U+02DA, U+02DC, U+2000-206F, U+2074, U+20AC, U+2212, U+2215;
+208 }
+209 }
+210
211 .gfont() when (@fontface = rugeboogie) {
212     @font-face {
213         font-family: 'Ruge Boogie';

```

---

## styles/\_modules.less

```

438     z-index: 2;
439     border: 1px solid @borderColor;
440     padding: 0.8em 1.44em;
- 441
+ 441     overflow-y: auto;
+ 442     max-height: 170px;
+ 443
444     .px1 {
445         display: none;
446     }

```

